



245 Chain Saw UT-10638-A 10638-A-UT 245 Chain Saw UT-10638-A 245 Chain Saw - Air Filter & Handles & Oil Pump



Rendered by LeadVenture, Inc.


| Ref # | Part #  | Description                         | Qty |
|-------|---------|-------------------------------------|-----|
| 1     | 80870   | SCREW- 10-32 x 3/8                  | 1   |
| 2     | 84003   | WASHER- Flat #10                    | 2   |
| 3     | 96224   | CHAMBER- Carburetor                 | 1   |
| 4     | 97076   | SPRING- Throttle lock               | 1   |
| 5     | 96213   | INTERLOCK- Trigger                  | 1   |
| 6     | 96225   | COVER- Handle                       | 1   |
| 7     | 97072   | BUTTON- Oil pump                    | 1   |
| 8     | A95297  | COVER- Air filter (245 SL only)     | 1   |
|       | 97596   | SCREW- Retaining                    | 1   |
| 9     | 70771   | SCREW- #10 x 3/4                    | 5   |
| 10    | 81266   | NUT- Hex (15/32 x 32)               | 1   |
| 11    | 96576   | NUT- Speed                          | 1   |
| 12    | 58409   | RING- Retaining                     | 1   |
| 13    | 95020   | SPRING- Compression                 | 1   |
| 14    | 95671   | PIN- Throttle lock                  | 1   |
| 15    | 70810   | NUT- Square 10-24                   | 3   |
| 16    | 95337   | RETAINER- Nut                       | 2   |
| 17    | A96778  | LINE- Pulse 3 1/4"                  | 1   |
|       | 95216   | SPRING (not shown)                  | 2   |
| 18    | 7031018 | TUBING- (Oil outlet) 4 1/2" (Auto)  | 1   |
| 19    | 82312   | SCREW- Plastic #10 x 5/8            | 1   |
| 20    | A93573A | GUARD- Hand (w/cover) (245HG only)  | 1   |
| 21    | 95217   | SCREW- Retaining                    | 1   |
| 22    | A97524  | BODY- Oil pump                      | 1   |
| 23    | 69447   | SPRING- Oil pump                    | 1   |
| 24    | A95070  | PLUNGER- Oil pump                   | 1   |
| 25    | 96480   | "O" RING                            | 1   |
| 26    | 94919   | COVER- Oil pump                     | 1   |
| 27    | 82380   | SCREW- Plastite #8-16 x 5/8         | 2   |
| 28    | 95375   | RETAINER- Nut                       | 1   |
| 29    | 96818   | SCREW- Soc. hd. cap( 10-24 x 1 5/8) | 1   |
| 30    | 96210   | GROMMET                             | 1   |
| 31    | 96209   | TRIGGER- Throttle                   | 1   |
| 32    | 97096   | CABLE- Control                      | 1   |
| 33    | 97081   | PUMP- Manual oil                    | 1   |
| 34    | 7031027 | TUBING- 6 3/4"                      | 2   |
| 35    | 96953   | COVER- Air filter                   | 1   |
| 36    | 95217   | SCREW- Retaining                    | 1   |
| 37    | 96952   | FILTER- Air                         | 1   |
| 38    | 96176   | SCREW- Mach/hex 10-24 x 1 5/8       | 2   |
| 39    | 96951   | BASE- Air filter                    | 1   |

| <b>Ref #</b> | <b>Part #</b> | <b>Description</b>         | <b>Qty</b> |
|--------------|---------------|----------------------------|------------|
| 40           | A97167        | CARBURETOR- (Zama CIS-H8)  | 1          |
|              | A97168        | CARBURETOR- (Walbro WT-19) | 1          |
| 41           | 81256         | NUT- Lock hex (10-24)      | 1          |
| 42           | 96053         | ISOLATOR- Shear            | 1          |
| 43           | 70432A        | RING- Vibration isolator   | 2          |
| 44           | 95868         | ISOLATOR                   | 1          |
| 45           | 70433         | SPACER-                    | 1          |
| 46           | 82218         | SCREW- Hex (10-24 x 1 1/8) | 2          |
| 47           | 96901         | PLATE- Handle bar          | 1          |
| 48           | 97600         | DECAL- Warning             | 1          |
| 49           | 97679         | SLEEVE                     | 1          |




Rendered by LeadVenture, Inc.

| <b>Ref #</b> | <b>Part #</b> | <b>Description</b>          | <b>Qty</b> |
|--------------|---------------|-----------------------------|------------|
| 1            | 80048         | SCREW- Hex cap 1/4-20 x 5/8 | 1          |
| 2            | 95406         | CLIP- Retaining             | 1          |
| 3            | 88048         | SCREW- Hex Sems 10-24 x 3/8 | 1          |
| 4            | A70767        | LINK- Pivot                 | 1          |
| 5            | A97179        | HAND GUARD                  | 1          |
| 6            | 95395         | PIN- Roll                   | 1          |
| 7            | 96990         | DECAL                       | 1          |
| 8            | 88050         | SCREW- Hex Sems 10-24 x 5/8 | 1          |
| 9            | 95397         | WASHER- Thrust              | 1          |
| 10           | 95486         | WASHER- Curved              | 1          |
| 11           | 96170         | CAM- Brake lever            | 1          |
| 12           | 95482         | BAND- Brake                 | 1          |
| 13           | A97056        | SPROCKET & DRUM .325P-8T    | 1          |
|              | 68512         | BEARING (not shown)         | 1          |



Rendered by LeadVenture, Inc.


| <b>Ref #</b> | <b>Part #</b> | <b>Description</b>               | <b>Qty</b> |
|--------------|---------------|----------------------------------|------------|
| 1            | A94754        | TERMINAL- High tension lead      | 1          |
| 2            | 96169S        | SPARK PLUG (DJ-7Y)               | 1          |
| 3            | 69326         | LEAD- High tension               | 1          |
| 4            | A96378        | LEAD- Ground                     | 1          |
| 5            | 82430         | SCREW- Mach., hex hd. 8-32 x 7/8 | 2          |
| 6            | 947111        | MODULE- Ignition                 | 1          |
| 7            | A96753A       | CRANKCASE & CYLINDER             | 1          |
| 8            | 96083         | BOLT- Guide bar                  | 2          |
| 9            | 50558         | FITTING                          | 1          |
| 10           | 96624         | SCREW- 10-24 x 1 1/8             | 5          |
| 11           | A96751A       | PISTON & PIN                     | 1          |
| 12           | 94916         | PISTON RINGS                     | 2          |
| 13           | 65261         | RING- Retaining                  | 2          |
| 14           | A96752        | CRANKSHAFT                       | 1          |
| 15           | 97125         | BEARING- Needle                  | 1          |
| 16           | 94638         | SEAL- Shaft                      | 2          |
| 17           | 68514         | RING- Retaining                  | 2          |
| 18           | 12530         | BEARING- Needle                  | 2          |
| 19           | 95492         | BEARING- Thrust                  | 2          |
| 20           | 69250         | KEY- Magneto                     | 1          |
| 21           | 94873         | GASKET- Manifold                 | 1          |
| 22           | 95983         | REED                             | 1          |
| 23           | 948721        | MANIFOLD- Intake                 | 1          |
| 24           | 95022A        | GASKET- Carburetor               | 1          |
| 25           | 82291         | SCREW- Hex washer 8-32 x 5/8     | 4          |
| 26           | A95007        | ROTOR- Magneto                   | 1          |
| 27           | A70285D       | PAWL- Starter                    | 1          |
| 28           | 84065         | WASHER- Flat 5/16                | 1          |
| 29           | 83002         | WASHER- Lock 5/16                | 1          |
| 30           | 96255         | NUT- Guide                       | 1          |
| 31           | 96540         | WASHER- Intake manifold          | 1          |
| 32           | 96539         | WASHER- Intake manifold          | 1          |



Rendered by LeadVenture, Inc.


| Ref # | Part #  | Description                            | Qty |
|-------|---------|----------------------------------------|-----|
|       | A96931  | MUFFLER- Complete                      | 1   |
| 1     | 95005   | SCREW                                  | 2   |
| 2     | 948871  | CAP- Muffler                           | 1   |
| 3     | 9398308 | SPACER                                 | 2   |
| 4     | 96928   | BAFFLE- Muffler                        | 1   |
| 5     | 956371  | SCREEN- Spark arrestor                 | 1   |
| 6     | 948881  | BAFFLE- Muffler                        | 1   |
| 7     | A96930  | BODY- Muffler                          | 1   |
| 8     | 96925   | DEFLECTOR- Exhaust                     | 1   |
| 9     | 94889   | PLATE- Muffler                         | 1   |
| 10    | A96754  | HOUSING- Engine                        | 1   |
| 11    | 95050   | BUTTON- Choke                          | 1   |
| 12    | 95086A  | BUTTON- Stop switch                    | 1   |
| 13    | 88063   | SCREW- Hex Sems 10-24 x 5/8            | 3   |
| 14    | 88050   | SCREW- 10-24 x .625                    | 1   |
| 15    | 94864   | BRACKET- Cable                         | 1   |
| 16    | 95087   | SPRING- Stop switch                    | 1   |
| 17    | 95091   | CONTACT- Stop switch                   | 1   |
| 18    | 81256   | NUT- Lock 10-24                        | 1   |
| 19    | 95212   | STOP- Chain                            | 1   |
| 20    | 82298   | SCREW- Mach hex 10-24 x 5/8            | 1   |
| 21    | 95390   | PLATE- Guide bar                       | 1   |
| 22    | 97605   | SCREW- Flat hd. 7/16-18                | 3   |
| 23    | 969191  | COVER- Clutch (outer)                  | 1   |
| 24    | 97053   | SPRING- Ext.                           | 3   |
| 25    | A96749  | SHOE- Clutch                           | 3   |
| 26    | 96748   | SPIDER- Clutch                         | 1   |
| 27    | 96919   | COVER- Clutch (inner)                  | 1   |
| 28    | 95299   | WASHER- Thrust                         | 2   |
| 29    | A97172  | SPROCKET & DRUM (37/375 chain only) 6T | 1   |
|       | A97056  | SPROCKET & DRUM (325P, 8T)             | 1   |
|       | 68512   | BEARING- Needle                        | 1   |
|       | A96522  | SPROCKET & DRUM w/bearing (optional)   | 1   |
|       | A95458  | SPROCKET & DRUM 3/8", 7T               | 1   |
|       | 64124   | BEARING- Needle                        | 1   |
|       | 65746B  | RACE- Inner                            | 1   |
| 30    | 81112   | NUT- Lock 5/16-24                      | 1   |
| 31    | A97057  | COVER- Drivecase                       | 1   |
| 32    | 692541A | PIN- Guide bar adjusting               | 1   |
| 33    | 93574   | "E" RING                               | 1   |
| 34    | 93575   | SCREW- Guide bar adjusting             | 1   |
| 35    | 81258   | NUT- Flange 1/4-20                     | 2   |

245 Chain Saw UT-10638-A 10638-A-UT 245 Chain Saw UT-10638-A 245 Chain Saw - Starter, Fuel & Oil Tank




Rendered by LeadVenture, Inc.

| Ref # | Part #  | Description                         | Qty |
|-------|---------|-------------------------------------|-----|
| 1     | 70771   | SCREW- #10 x 3/4                    | 1   |
| 2     | 94062   | WASHER- Retainer                    | 1   |
| 3     | 69158A  | PULLEY- Starter                     | 1   |
| 4     | A93874A | ROPE- Starter #4 3/4"               | 1   |
| 5     | 93862   | WASHER- Nylon                       | 1   |
| 6     | A95233  | SPRING & CONTAINER                  | 1   |
| 7     | A95210A | HOUSING- Starter                    | 1   |
| 8     | 969811A | BUSHING- Starter hsg.               | 1   |
| 9     | 70211   | GRIP- Starter rope                  | 1   |
| 10    | 84025   | WASHER- Flat #8                     | 1   |
| 11    | 97052   | DECAL-"245"                         | 1   |
| 12    | 95931   | HANDLE BAR                          | 1   |
| 13    | 70440A  | WASHER- Vibration isolator          | 1   |
| 14    | 96818   | SCREW- Soc. hd. cap (10-24 x 1 5/8) | 1   |
| 15    | 70432A  | RING- Vibration isolator            | 2   |
| 16    | 70433   | SPACER                              | 1   |
| 17    | 95868   | ISOLATOR                            | 1   |
| 18    | 95249   | WASHER- Flat                        | 1   |
| 19    | A96957  | CAP- Oil                            | 1   |
| 20    | 94494   | GASKET- Filler cap                  | 1   |
| 21    | 69502   | BEAD- Chain                         | 1   |
| 22    | 96535   | RETAINER                            | 1   |
| 23    | 69454   | FILTER- Fuel cap                    | 1   |
| 24    | 69451   | VALVE                               | 1   |
| 25    | 82256   | SCREW- Pan hd.                      | 1   |
| 26    | A96936  | CAP- Fuel                           | 1   |
| 27    | A97141  | TANK- Fuel & oil                    | 1   |
| 28    | 96639   | FILTER- Fuel                        | 1   |
| 29    | 7031026 | TUBING- Fuel 6 1/2"                 | 1   |
| 30    | 7031027 | TUBING- Oil outlet 6 3/4"           | 1   |
| 31    | A68593  | FILTER- Oil                         | 1   |
| 32    | 95213   | NUT- Square 10-24                   | 1   |



Rendered by LeadVenture, Inc.

| <b>Ref #</b> | <b>Part #</b> | <b>Description</b> | <b>Qty</b> |
|--------------|---------------|--------------------|------------|
| 1            | 96986         | REPAIR KIT         | 1          |
| 2            | 96986         | REPAIR KIT         | 1          |
| 3            | 96986         | REPAIR KIT         | 1          |
| 4            | 96986         | REPAIR KIT         | 1          |
| 5            | 96986         | REPAIR KIT         | 1          |
| 6            | 96986         | REPAIR KIT         | 1          |
| 7            | 96986         | REPAIR KIT         | 1          |
| 8            | 96986         | REPAIR KIT         | 1          |
| 9            | 96986         | REPAIR KIT         | 1          |
| 10           | 96986         | REPAIR KIT         | 1          |
| 11           | 96986         | REPAIR KIT         | 1          |
| 12           | 96986         | REPAIR KIT         | 1          |
|              | 96915         | INLET NEEDLE       | 1          |
| 13           | 96986         | REPAIR KIT         | 1          |
| 14           | 96986         | REPAIR KIT         | 1          |
| 15           | 96986         | REPAIR KIT         | 1          |
| 16           | 96986         | REPAIR KIT         | 1          |
|              | 96944         | GASKET/DIA-KIT     | 1          |
| 17           | 96986         | REPAIR KIT         | 1          |
|              | 96944         | GASKET/DIA-KIT     | 1          |
| 18           | 96986         | REPAIR KIT         | 1          |
|              | 96944         | GASKET/DIA-KIT     | 1          |
| 19           | 96986         | REPAIR KIT         | 1          |
|              | 96944         | GASKET/DIA-KIT     | 1          |



Rendered by LoadVenture, Inc.

| <b>Ref #</b> | <b>Part #</b> | <b>Description</b> | <b>Qty</b> |
|--------------|---------------|--------------------|------------|
| 1            | 96646A        | REPAIR KIT         | 1          |
| 2            | 96646A        | REPAIR KIT         | 1          |
| 3            | 96646A        | REPAIR KIT         | 1          |
| 4            | 96646A        | REPAIR KIT         | 1          |
| 5            | 96646A        | REPAIR KIT         | 1          |
| 6            | 96646A        | REPAIR KIT         | 1          |
| 7            | 96646A        | REPAIR KIT         | 1          |
| 8            | 96646A        | REPAIR KIT         | 1          |
| 9            | 96646A        | REPAIR KIT         | 1          |
| 10           | 96646A        | REPAIR KIT         | 1          |
| 11           | 96646A        | REPAIR KIT         | 1          |
| 12           | 96646A        | REPAIR KIT         | 1          |
| 13           | 96646A        | REPAIR KIT         | 1          |
| 14           | 96646A        | REPAIR KIT         | 1          |

## TOOLS

|                                     |                  |
|-------------------------------------|------------------|
| <b>SILASTIC (Crankcase sealing)</b> | <b>24823</b>     |
| <b>LOCTITE</b>                      | <b>23488-C</b>   |
| <b>PULLER- Magneto rotor</b>        | <b>A-24747-A</b> |
| <b>Includes:</b>                    |                  |
| <b>BOLT- 5/16-18 x 1 3/4 (1)</b>    | <b>80288</b>     |
| <b>NUT- Hex 5/16-18 (2)</b>         | <b>81196</b>     |
| <b>WRENCH- Spanner (clutch)</b>     | <b>A-93791</b>   |
| <b>Includes:</b>                    |                  |
| <b>PIN- Clutch spanner</b>          | <b>23717-A</b>   |
| <b>WRENCH- Combination</b>          | <b>A-17705</b>   |
| <b>TOOL- Clutch</b>                 | <b>A-17770</b>   |

## ACCESSORIES

|                                        |                   |
|----------------------------------------|-------------------|
| <b>GREASE- Multi use</b>               | <b>17193</b>      |
| <b>TUBING- 10 ft. (Fuel &amp; Oil)</b> | <b>70310-99</b>   |
| <b>SAFE•T•TIP- (Standard on units)</b> | <b>DA-70776-A</b> |
| <b>Includes:</b>                       |                   |
| <b>SCREW- (Special)</b>                | <b>93695</b>      |
| <b>TUBING- 10 ft. (pulse line)</b>     | <b>95201-99</b>   |
| <b>ROPE- Starter 250 ft. #4</b>        | <b>68848</b>      |
| <b>BUMPER- Spiked</b>                  | <b>A-97046</b>    |
| <b>Includes:</b>                       |                   |
| <b>SCREW- Mach-flat</b>                | <b>80310</b>      |
| <b>SCREW- (10-24 x 1/2)</b>            | <b>80672</b>      |
| <b>NUT- Locking hex</b>                | <b>81256</b>      |

Rendered by LeadVenture, Inc.

| <b>Ref #</b> | <b>Part #</b> | <b>Description</b>              | <b>Qty</b> |
|--------------|---------------|---------------------------------|------------|
| 24823        | 24823         | SILASTIC (Crankcase sealing)    | 1          |
| 23488C       | 23488C        | LOCTITE                         | 1          |
| A24747A      | A24747A       | PULLER- Magneto rotor           | 1          |
| 80288        | 80288         | BOLT- 5/16-18 x 1 3/4 (1)       | 1          |
| 81196        | 81196         | NUT- Hex 5/16-18 (2)            | 1          |
| A-93791      | A93791        | CLUTCH TOOL                     | 1          |
| 23717A       | 23717A        | PIN- Clutch spanner             | 1          |
| A-17705      | A17705        | USE UP05954                     | 1          |
| A-17770      | A-17770       | TOOL- Clutch                    | 1          |
| 17193        | 17193         | GREASE- Multi use               | 1          |
| 7031099      | 7031099       | TUBING- 10 ft. (Fuel & Oil)     | 1          |
| DA-70776-A   | DA70776A      | SAFE-T-TIP- (Standard on units) | 1          |
| 93695        | 93695         | SCREW- (Special)                | 1          |
| 9520199      | 9520199       | TUBING- 10 ft. (pulse line)     | 1          |
| 68848        | 68848         | ROPE- Starter 250 ft. #4        | 1          |
| A-97046      | A-97046       | BUMPER- Spiked                  | 1          |
| 80310        | 80310         | SCREW- Mach-flat                | 1          |
| 80672        | 80672         | SCREW- (10-24 x 1/2)            | 1          |
| 81256        | 81256         | NUT- Locking hex                | 1          |