



330 Chain Saw UT-10605 10605-UT 330 Chain Saw UT-10605 330 Chain Saw - Chain Brake and Chain Stop



Rendered by LeadVenture, Inc.

| <b>Ref #</b> | <b>Part #</b> | <b>Description</b>               | <b>Qty</b> |
|--------------|---------------|----------------------------------|------------|
| 1            | 80983         | SCREW- (8-32 x 1/2)              | 3          |
| 2            | 70705         | STOP- Chain                      | 1          |
| 3            | 88048         | SCREW- (10-24 x 3/8)             | 1          |
| 4            | 70632         | WASHER- Flat                     | 1          |
| 5            | A95409A       | GUARD- hand                      | 1          |
| 6            | 80672         | SCREW- Pan hd                    | 1          |
| 7            | 95411         | BRACKET                          | 1          |
| 8            | 80821         | SCREW (12 24 x 1/2)              | 1          |
| 9            | 95283         | BAND- Brake                      | 1          |
| 10           | 81192         | NUT- Hex (3/8-24)                | 1          |
| 11           | 95376         | INSERT- Chain brake              | 1          |
| 12           | 95410         | WASHER- Spring                   | 1          |
| 13           | 95284A        | SPRING- Torsion                  | 1          |
| 14           | 95287         | DETENT- Brake lever              | 1          |
| 15           | 95295         | SPACER- Flanged                  | 1          |
| 16           | 82254         | SCREW- Mach pan hd. (8-32 x 1/2) | 2          |
| 17           | 95286         | LINK- Chain brake                | 1          |
| 18           | 95494         | BUSHING                          | 1          |
| 19           | 953941        | SHIELD- Chain brake              | 1          |
|              | 95838         | BUMPER- Spike (not shown)        | 1          |
|              | 960621        | CARBURETOR SHIELD (not shown)    | 1          |


330 Chain Saw UT-10605 10605-UT 330 Chain Saw UT-10605 330 Chain Saw - Engine Internals



Rendered by LeadVenture, Inc.

| <b>Ref #</b> | <b>Part #</b> | <b>Description</b>               | <b>Qty</b> |
|--------------|---------------|----------------------------------|------------|
| 1            | 88049         | SCREW- Sems hex<br>(10-24 x 1/2) | 2          |
| 2            | A95884A       | CRANKCASE &<br>CYLINDER          | 1          |
| 3            | 70204         | FITTING- Tube                    | 1          |
| 4            | 88053         | SCREW- (10-24 x 1)               | 6          |
| 5            | 93859         | BOLT- Guide bar                  | 2          |
|              | 94392         | FITTING- Tube (L) not<br>shown   | 1          |
|              | 94619         | FITTING- Tube (Not<br>shown)     | 1          |
| 6            | A95882A       | PISTON                           | 1          |
| 7            | 64813         | RING- Retaining                  | 2          |
| 8            | 96510         | PISTON RING                      | 2          |
| 9            | A96418B       | CRANKSHAFT                       | 1          |
| 10           | 93369         | BEARING- Rod                     | 1          |
| 11           | 94860         | WASHER- Thrust                   | 2          |
| 12           | 93846         | BEARING- Needle                  | 2          |
| 13           | 93819         | RING- Retaining                  | 2          |
| 14           | 93858         | SEAL- Crankshaft                 | 2          |
| 15           | 75078         | KEY- Woodruff                    | 1          |
| 16           | 93832         | SHIELD- Sawdust                  | 1          |


330 Chain Saw UT-10605 10605-UT 330 Chain Saw UT-10605 330 Chain Saw - Handles, Carburetor Chamber & Starter



Rendered by LeadVenture, Inc.

| Ref # | Part #   | Description                             | Qty |
|-------|----------|-----------------------------------------|-----|
| 1     | A95933A  | LEAD- Electrical                        | 1   |
| 2     | 95874    | CONTACT- Ground                         | 1   |
| 3     | A576503A | SWITCH- Grounding                       | 1   |
| 4     | 72084A1  | NUT- Switch                             | 1   |
| 5     | 12793A   | PLATE- Ignition (Run-Stop)              | 1   |
| 6     | 69092    | SLEEVE- Grounding switch                | 1   |
| 7     | 81208    | NUT- Locking hex (10-24)                | 1   |
| 8     | 93517    | PIN- Groove                             | 1   |
| 9     | 93842    | TRIGGER- Throttle                       | 1   |
| 10    | 94379    | SPRING- Torsional                       | 1   |
| 11    | 93843    | THROTTLE- Interlock                     | 1   |
| 12    | 80983    | SCREW- Hex hd. (8-32 x 1/2)             | 8   |
| 13    | 93822    | HANDLE- Cover                           | 1   |
| 14    |          | PIN- Throttle lock                      | 1   |
| 15    | 95020    | SPRING- Compression                     | 1   |
| 16    | 94377A   | ROD- Throttle                           | 1   |
| 17    | 58409    | RING- Retaining                         | 1   |
| 18    | 94376    | GROMMET                                 | 1   |
| 19    | 95976A   | SPRING- Extension                       | 1   |
| 20    | A95207   | CAP- Oil                                | 1   |
| 21    | 94390    | GASKET                                  | 1   |
| 22    | 94387B   | FILTER ELEMENT- Air                     | 1   |
| 23    | A95049   | PUMP Oil                                | 1   |
| 25    | 82224    | SCREW- Hex hd. (8-32 x 2)               | 2   |
| 26    | 82380    | SCREW- Thd. forming (8-16 x 5/8)        | 1   |
| 27    | 94395    | COVER- Oil pump                         | 1   |
| 28    | 94619    | FITTING- Tube                           | 1   |
| 29    | 94634    | SPRING- Helicoil                        | 1   |
| 30    | A94675   | DIAPHRAGM & PLUNGER                     | 1   |
| 31    | 95921    | GASKET- Air filter cover                | 1   |
| 32    | 93828    | COVER- Air filter                       | 1   |
| 33    | 93578    | SCREW- Self retaining (330 only)        | 2   |
|       | 95792    | SCREW- Rd. hd. (10-24) (330SL only)     | 2   |
| 34    | 95027    | GUARD- Hand (330 only)                  | 1   |
| 35    | 94389    | BUTTON- Choke                           | 1   |
| 36    | 94388    | WASHER- Wave                            | 1   |
| 37    | 94502    | LEVER- Choke                            | 1   |
| 38    | 95922    | SCREW- Pan taptite (8-32 x 5/16)        | 1   |
| 39    | A93853   | HANDLE BAR- Flush cut                   | 1   |
|       | A938531  | HANDLE BAR- Flush cut (After Lot #C309) | 1   |
| 40    | 82246    | SCREW Cap socket hd. (10-24 x 1)        | 2   |

| Ref # | Part #  | Description                           | Qty |
|-------|---------|---------------------------------------|-----|
| 41    | 82179   | SCREW- Mach. hex. hd. (10-32 x 1 7/8) | 2   |
| 42    | 94504   | SPACER- Choke                         | 1   |
| 43    | 94382   | WASHER- Wave                          | 1   |
| 44    | 94503A  | PLATE- Choke                          | 1   |
| 45    | 94381   | GROMMET                               | 1   |
| 46    | A94380A | CARBURETOR (Walbro WT-4)              | 1   |
|       | A96421  | CARBURETOR (Zama C-1S-H3)             | 1   |
| 47    | 82377   | SCREW- Cap socket hd. (10-24 x 1 3/4) | 1   |
| 48    | A96419A | HOUSING- Engine                       | 1   |
| 49    | 95633   | DECAL                                 | 1   |
| 50    | 98688   | TUBING (after Lot #C309)              | 1   |
| 51    | A68593  | FINDER- Oil                           | 1   |
| 52    | 96841   | VALVE- Duck bill                      | 1   |
| 53    | 69454   | FILTER                                | 1   |
| 54    | 69443   | FILTER- Fuel tank valve               | 1   |
|       | 95671   | PIN- Throttle lock (after Lot #C309)  | 1   |
|       | 95020   | SPRING- Compression                   | 1   |
| 55    | 95989   | BUSHING- Flanged                      | 1   |
|       | 58409   | RING- Retaining                       | 1   |
| 56    | 94386   | DECAL- Starter housing                | 1   |
| 57    | A94736  | HOUSING- Starter                      | 1   |
| 58    | 938302  | HOUSING- Engine (bottom)              | 1   |
| 59    | 88060   | SCREW- Hex hd. (10-24 x 2.5000)       | 4   |
| 60    | A94673  | PLATE- Carburetor chamber             | 1   |
| 61    | 94392   | FITTING- Tube (L)                     | 1   |
| 62    | 9520108 | TUBING- 2" (pulse line)               | 1   |
| 63    | 95216   | SPRING- Pulse line (inside)           | 1   |
| 64    | 9315721 | TUBING- 5 1/4" (pulse line)           | 1   |
| 65    | 64862   | GROMMET                               | 1   |
| 66    | 9311212 | TUBING-3" (Oil Deliver)               | 1   |
|       | 94619   | FITTING- Tube (see index #28)         | 1   |
| 67    | 88051   | SCREW- Sems hex hd. (10-24 x 3/4)     | 1   |
| 68    | 94763   | BRACE- handle                         | 1   |
| 69    | 95342   | GASKET Carburetor                     | 1   |
| 70    | 94391   | GASKET- Oil pump                      | 1   |
|       | 9311226 | TUBING- 6 1/2" (Oil)                  | 1   |
| 71    | 96894   | SPACER- Flanged                       | 1   |




Rendered by LeadVenture, Inc.

| Ref # | Part #  | Description                                         | Qty |
|-------|---------|-----------------------------------------------------|-----|
|       | A96456  | MUFFLER                                             | 1   |
| 1     | 88058   | SCREW- Hex hd. (10-24 x 2 1/4)                      | 2   |
| 2     | 88057   | SCREW- Hex sems (10-24 x 2)                         | 1   |
| 3     | 960901  | CAP- Muffler                                        | 1   |
| 4     | 9398302 | SPACER- Muffler                                     | 1   |
| 5     | 9398304 | SPACER- Muffler                                     | 1   |
| 6     | 96091   | BAFFLE- Muffler                                     | 1   |
| 7     | 96094   | SCREEN- Spark arrestor                              | 1   |
| 8     | 96092   | BAFFLE- Muffler                                     | 1   |
| 9     | 94501   | PLATE- Reinforcing                                  | 1   |
| 10    | A968151 | BODY- Muffler                                       | 1   |
| 11    | 96093A  | DEFLECTOR- Exhaust                                  | 1   |
| 12    | 938561A | CAP- Muffler (units prior to Lot #C201)             | 1   |
|       | A960691 | CAP- Muffler (units prior to Lot #C201) (330W)      | 1   |
| 13    | 93855   | BAFFLE- Muffler (outer) (prior to Lot #C201) (330W) | 1   |
| 14    | 93504   | SCREEN- Spark arrestor (330W) (prior to Lot #C201)  | 1   |
| 15    | 93515   | BAFFLE- Muffler (330W) (prior to Lot #C201)         | 1   |
| 16    | 94501   | PLATE- Reinforcing (prior to Lot #C201)             | 1   |
| 17    | 938571  | BODY- Muffler (330W) (prior to Lot #C201)           | 1   |
| 18    | A94361  | MODULE- Ignition                                    | 1   |
| 19    | A94754  | TERMINAL- High tension                              | 1   |
| 20    | 94362   | LEAD- High tension                                  | 1   |
| 21    | 95098   | SLEEVE- Insulation                                  | 1   |
| 22    | 96169S  | SPARK PLUG                                          | 1   |
| 23    | 93836B  | RETAINER- Reed valve                                | 1   |
| 24    | 938341  | VALVE- Reed                                         | 2   |
| 25    | 93835A  | SEAT- Reed stop                                     | 1   |
| 26    | 93838B  | BOOT- Connector                                     | 1   |
| 27    | 93847   | RETAINER- Boot                                      | 1   |
| 28    | 80983   | SCREW- (8-32 x 1/2)                                 | 4   |
| 29    | A94668A | LEAD- Electrical                                    | 1   |
| 30    | 88052   | SCREW- (10-24 x 875)                                | 2   |
| 31    | 70705   | STOP- Chain                                         | 1   |
| 32    | A93632A | SHOE- Clutch                                        | 3   |
| 33    | 65064   | WASHER- Thrust                                      | 2   |
| 34    | 94374   | SPIDER- Clutch                                      | 1   |
| 35    | 93814A  | SPRING- Clutch                                      | 3   |
| 36    | 93643   | WASHER- Thrust                                      | 1   |
| 37    | 65746B  | RACE- Inner                                         | 1   |
| 38    | 64124   | BEARING- Roller                                     | 1   |
| 39    | A95621  | SPROCKET & DRUM- 3/8" pitch 7T                      | 1   |
| 40    | 81236   | NUT- Hex (3/8-24)                                   | 1   |
| 41    | 93844A  | ROTOR                                               | 1   |
| 42    | 95479A  | WASHER- Flat                                        | 1   |


| <b>Ref #</b> | <b>Part #</b> | <b>Description</b>             | <b>Qty</b> |
|--------------|---------------|--------------------------------|------------|
| 43           | 81255         | NUT- Lock (rotor nut)          | 1          |
| 44           | 88050         | SCREW- Hex sems (10-24 x .625) | 5          |
| 45           | 943412        | SHROUD- Air                    | 1          |
| 46           | 46840         | CABLE TIE                      | 1          |

330 Chain Saw UT-10605 10605-UT 330 Chain Saw UT-10605 330 Chain Saw - Starter & Tank



| Ref # | Part #  | Description                           | Qty |
|-------|---------|---------------------------------------|-----|
| 1     | 81196   | NUT- Hex (5/16-18)                    | 2   |
| 2     | A946851 | COVER- Drivecase                      | 1   |
| 3     | 81206   | NUT- Hex (10-32)                      | 1   |
| 4     | 65175A  | SCREW- Guide bar adjusting            | 1   |
| 5     | 651121  | PIN- Guide bar adjusting              | 1   |
| 6     | 82377   | SCREW- Cap socket hd. (10-24 x 1 3/4) | 2   |
| 7     | 70440A  | WASHER- Vibration isolator            | 2   |
| 8     | 70432A  | RING- Vibration isolator              | 6   |
| 9     | 95868   | ISOLATOR- Vibration                   | 1   |
| 10    | 70433   | SPACER                                | 3   |
| 11    | 95453   | PLATE- Guide bar (outer)              | 1   |
| 12    | 95452   | PLATE- Guide bar (inner)              | 1   |
| 13    | 95915   | ISOLATOR- Vibration                   | 2   |
| 14    | 84025   | WASHER- Flat (#8)                     | 1   |
| 15    | A69962B | GRIP- Starter                         | 1   |
| 16    | 70018A  | INSERT- Rope                          | 1   |
| 17    | 80983   | SCREW- (8-32 x 1/2)                   | 4   |
| 18    | A93876  | USE UP06820                           | 1   |
| 19    | 93862   | WASHER- Nylon                         | 1   |
| 20    | A94736  | HOUSING- Starter                      | 1   |
| 21    | A94918A | SPRING- Rewind w/retainer             | 1   |
| 22    | 94383A  | PULLEY- Starter                       | 1   |
| 23    | 94384   | RATCHET- Starter                      | 1   |
| 24    | 94505A  | LEVER- Ratchet                        | 1   |
| 25    | 95208   | WASHER                                | 1   |
| 26    | 82392   | SCREW- Thd. forming (#10 x 1 1/4)     | 1   |
| 27    | A94678A | TANK- Fuel                            | 1   |
| 28    | 9311230 | TUBING- 7 1/2 (fuel)                  | 1   |
| 29    | 96841   | VALVE- Check                          | 1   |
| 30    | 96639   | FILTER- Fuel                          | 1   |
| 31    | 95206   | SEAL- Foam                            | 1   |
| 32    | A94671  | CAP- Fuel                             | 1   |
| 33    | 94390   | GASKET- Filler cap                    | 1   |
| 34    | 938302  | HOUSING- Engine (bottom)              | 1   |
| 35    | 94763   | BRACE- Handle                         | 1   |
| 36    | 88051   | SCREW- Sems hex hd. (10-24 x 3/4)     | 3   |
| 37    | 12320A  | SHIELD                                | 1   |
|       | A04291  | ASSEMBKY- Complete Starter            |     |


330 Chain Saw UT-10605 10605-UT 330 Chain Saw UT-10605 330 Chain Saw - Walbro Carburetor



Rendered by LeadVenture, Inc.

| <b>Ref #</b> | <b>Part #</b> | <b>Description</b>   | <b>Qty</b> |
|--------------|---------------|----------------------|------------|
| 1            | 96943         | Repair Kit           | 1          |
| 2            | 96943         | Repair Kit           | 1          |
| 3            | 96943         | Repair Kit           | 1          |
| 4            | 96943         | Repair Kit           | 1          |
| 5            | 96943         | Repair Kit           | 1          |
| 6            | 96943         | Repair Kit           | 1          |
| 7            | 96943         | Repair Kit           | 1          |
| 8            | 96943         | Repair Kit           | 1          |
| 9            | 96943         | Repair Kit           | 1          |
| 10           | 96943         | Repair Kit           | 1          |
|              | 64229         | Needle               | 1          |
| 11           | 96943         | Repair Kit           | 1          |
| 12           | 96943         | Repair Kit           | 1          |
| 13           | 96943         | Repair Kit           | 1          |
| 14           | 96943         | Repair Kit           | 1          |
| 15           | 96943         | Repair Kit           | 1          |
|              | 96944         | Gasket/Diaphragm Kit | 1          |
| 16           | 96943         | Repair Kit           | 1          |
|              | 96944         | Gasket/Diaphragm Kit | 1          |
| 17           | 96943         | Repair Kit           | 1          |
|              | 96944         | Gasket/Diaphragm Kit | 1          |
| 18           | 96943         | Repair Kit           | 1          |
|              | 96944         | Gasket/Diaphragm Kit | 1          |

330 Chain Saw UT-10605 10605-UT 330 Chain Saw UT-10605 330 Chain Saw - Zama Carburetor



| <b>Ref #</b> | <b>Part #</b> | <b>Description</b>   | <b>Qty</b> |
|--------------|---------------|----------------------|------------|
| 1            | 96482         | Repair Kit           | 1          |
| 2            | 96482         | Repair Kit           | 1          |
| 3            | 96482         | Repair Kit           | 1          |
| 4            | 96482         | Repair Kit           | 1          |
| 5            | 96482         | Repair Kit           | 1          |
| 6            | 96482         | Repair Kit           | 1          |
| 7            | 96482         | Repair Kit           | 1          |
| 8            | 96482         | Repair Kit           | 1          |
| 9            | 96482         | Repair Kit           | 1          |
| 10           | 96482         | Repair Kit           | 1          |
| 11           | 96482         | Repair Kit           | 1          |
|              | 96483         | Diaphragm Repair Kit | 1          |
| 12           | 96482         | Repair Kit           | 1          |
|              | 96483         | Diaphragm Repair Kit | 1          |
| 13           | 96482         | Repair Kit           | 1          |
|              | 96483         | Diaphragm Repair Kit | 1          |
| 14           | 96482         | Repair Kit           | 1          |
|              | 96483         | Diaphragm Repair Kit | 1          |
| 15           | 96482         | Repair Kit           | 1          |
|              | 96483         | Diaphragm Repair Kit | 1          |

## ACCESSORIES & TOOLS

|                                |           |                                           |           |
|--------------------------------|-----------|-------------------------------------------|-----------|
| GREASE- Multi use              | 17193     | SPANNER WRENCH- Clutch removal            | A-24060   |
| KIT- Bumper plate (330 & 330W) | A-12272-D | WRENCH- Combination                       | A-24284   |
| Includes:                      |           | SHIM- Black plastic (.012") rotor air gap | 24306     |
| SCREW- (10-24 x 3/8)           | 88048     | PULLER- Rotor removal                     | A-24544   |
| SCREW                          | 88051     | SEALANT                                   | 24823     |
| LACQUER- Touch up (red)        | 23475     | CORD- Starter (250 ft. reel)              | 68848     |
| LOCTITE                        | 23488-B   | SAFE•T•TIP (standard with unit)           | A-70790-A |
| PLUG- Bearing installation     | 23756     | Includes:                                 |           |
| PLUG- Piston pin removal       | A-23949   | SCREW                                     | 82335     |
| Includes:                      |           | TUBING- Rubber (10 ft.)                   | 93112-99  |
| "O" RING (1)                   | 67900     | TUBING- Rubber (10 ft.)                   | 93157-99  |
| KIT- Sprocket nose repair      | A-94851   |                                           |           |
| Includes:                      |           |                                           |           |
| BEARING- Guide bar             | 94852     |                                           |           |

Rendered by LeadVenture, Inc.

| <b>Ref #</b> | <b>Part #</b> | <b>Description</b>                        | <b>Qty</b> |
|--------------|---------------|-------------------------------------------|------------|
| 17193        | 17193         | GREASE- Multi use                         | 1          |
| A-12272-D    | A12272D       | KIT- Bumper plate (330 & 330W)            | 1          |
| 88048        | 88048         | SCREW- (10-24 x 3/8)                      | 1          |
| 88051        | 88051         | SCREW                                     | 1          |
| 23475        | 23475         | LACQUER- Touch up (red)                   | 1          |
| 23488-B      | 23488-B       | LOCTITE                                   | 1          |
| 23756        | 23756         | PLUG- Bearing installation                | 1          |
| A-23949      | A23949        | PLUG- Piston pin removal                  | 1          |
| 67900        | 67900         | "O" RING (1)                              | 1          |
| A-94851      | A94851        | KIT- Sprocket nose repair                 | 1          |
| 94852        | 94852         | BEARING- Guide bar                        | 1          |
| A-24060      | A24060        | NLA(NO LONGER AVAILABLE)                  | 1          |
| A-24284      | A-24284       | WRENCH- Combination                       | 1          |
| 24306        | 24306         | SHIM- Black plastic (.012") rotor air gap | 1          |
| A-24544      | A24544        | USE A24544A                               | 1          |
| 24823        | 24823         | SEALANT                                   | 1          |
| 68848        | 68848         | CORD- Starter (250 ft. reel)              | 1          |
| A70790A      | A70790A       | SAFE-T-TIP (standard with unit)           | 1          |
| 82335        | 82335         | SCREW                                     | 1          |
| 9311299      | 9311299       | TUBING- Rubber (10 ft.)                   | 1          |
| 9315799      | 9315799       | TUBING- Rubber (10 ft.)                   | 1          |