


REPAIR PARTS

22" ROTARY LAWN MOWER -- MODEL NUMBER 56cs (H56CSA), PRODUCT NO. 954 06 90-01



REPAIR PARTS


22" ROTARY LAWN MOWER - - MODEL NUMBER 56cs (H56CSA), PRODUCT NO. 954 06 90-01

KEY PART NO. NO.	DESCRIPTION	KEY PART NO. NO.	DESCRIPTION		
1	532087930	Clip Guide	18	532132800	Selector Knob
2	532143915	Dual Drive Control	24	532136797	Pan Head Tapping Screw #10-24 x 1-3/4
3	532063601	Locknut #10-24	26	532087866	Pan Head Tapping Screw #10-24 x 2-3/4
4	532085692	Pan Head Machine Screw #10-24 x 2	27	532750097	Hex Washer Head Screw #10-24 x 3/4
5	532137078	V-Belt	28	532700599	Drive Cover
6	532700875	Carriage Bolt 1/4-20 x 2-3/4	31	532132010	Hex Flange Nut
7	532083923	Nut	32	532137052	Drive Pulley
8	532077400	Hubcap	35	532142811	Wheel Adjuster Assembly (Left)
9	532057143	Wave Washer	36	532702510	Gear Case Assembly
11	532143596	Wheel & Tire Assembly	37	532137090	Spring
12	812000058	E-Ring	38	532063601	Hex Locknut 1/4-20
13	532137054	Pinion	40	532075192	Spring
14	532088080	Dust Cover	41	532142810	Wheel Adjuster Assembly (Right)
15	532088118	Felt Washer	55	532086012	Driveshaft Cover
16	532067725	Washer 1/2 x 1-1/2 x .134	--	532142078	Drive Cover Decal

REPAIR PARTS

22" ROTARY LAWN MOWER - - MODEL NO. 56cs (H56CSA),
PRODUCT NO. 954 06 90-01

GEAR CASE ASSEMBLY PART NUMBER 532702510



KEY NO.	PART NO.	DESCRIPTION
1	817490416	Tapping Screw 1/4-20 x 1-1/4
2	532140269	Engagement Bracket
3	532137053	Shifter
4	532057072	Seal
5	532702710	Grooved Pin 1/8 x 5/8
6	532048373	Gear Case Halves Kit (Includes Key Nos. 4, 5, and 7)
7	532077881	Bearing
8	532137051	Worm Shaft
9	532137077	Drive Shaft
10	532057079	Hardened Washer
11	532131484	Clutch Yoke
12	532700343	Bushing

KEY NO.	PART NO.	DESCRIPTION
13	532086447	Plug
14	532137050	Helical Gear
15	532750436	Clutch Jaw
16	532750369	Grease
17	812000003	E-Ring
18	532850848	Hi-Pro Key
19	532125441	Spring Bracket

NOTE: To reseal housing halves use Loctite No. 515, Part No. 532077923

NOTE: All component dimensions given in U.S. inches.
1 inch = 25.4 mm