

:

:**Motlx 6-24**
75360200004

				(USD)	
0010	31305282001	Motor housing	1		-
0015	75752400002	Motor	1		X
0020	31305288002	Bush	1		-
0030	31305290008	Rotor	1		-
0035	31305289006	Flap	4		-
0040	32636033009	Guide	1		-
0050	31305292000	Cover	1		-
0070	41701007038	Grooved ball bearing	1		-
0090	31305287004	Straight pin	3		-
0100	31305286000	Cover	1		-
0110	41701234023	Grooved ball bearing	1		-
0130	31305279007	Plunger	1		-
0140	31305278003	Sealing ring	1		-
0150	31305277005	Spring	1		-
0160	31305276001	Regulator	1		-
0170	31305273006	Screw	1		-
0180	31305274004	Sealing ring	1		-
0190	31305275008	Sealing ring	1		-
0200	31305281008	Lever	1		-
0210	40238067009	Pin	1		-
0220	31305283005	Silencer	1		-
0230	31305284003	Ring	1		-
0240	31305294002	Connecting piece	1		-
0250	31305285007	Filter	1		-
0255	30234033002	Cable tie	1		-
0260	31305295015	Hose	1		X
0270	33405040009	Eccentric shaft	1		-
0280	31428109011	Sleeve	1		-
0300	31506342004	Intermediate bearing	1		X
0320	31508236006	Gearbox housing	1		-
0325	31508236015	Gearbox housing	1		-
0330	33218018009	Lever	1		-
0340	41706033003	Needle bearing	1		-
0350	32313034000	Piston	1		-
0360	40238017004	Clamping sleeve	1		-
0370	30507180008	Bush	1		-
0380	41705022005	Bush	1		-
0390	33406207008	Shaft	1		-
0410	41701007038	Grooved ball bearing	1		-
0420	40608030007	Sealing ring	1		-
0430	30509041000	Thread ring	1		-
0470	32607060014	Clamping ring	1		-
0475	40612131002	Sealing ring	1		-
0480	32410063004	Disc	1		-
0490	43035006048	Cylinder head screw M4X12	3		-
0610	33024062004	Screw	1		-
0650	43002019991	Cylinder head screw M3,5X25	4		-
0660	42443002992	Circlip M3,5	4		-
5000	62910031008	Bi-directional nut spanner	1		-

: **M0tlx 6-24**
: **75360200004**



.				(USD)	
5010	63719010014	Sharpening stone	1		-
5020	33901045060	Tool case	1		X
5200	32119122000	Handle	1		-
5210	30232050000	Wire clamp	2		-
6000	32160003083	Lubricant tube 0,085 kg	1		-
9000	34100907065	Operating instructions	1		-
9010	34150907000	List of spare parts M0tlx 6-24	1		-

Motlx 6-24
7536020004

7 536 02-Motlx6-24

