



Operating Instructions and Parts Manual

Manual Cold Saws

Models CS-275, CS-315




model CS-275-1 shown

JET
427 New Sanford Road
LaVergne, Tennessee 37086
Ph.: 800-274-6848
www.jettools.com

Part No. M-414226
Revision D 01/2016
Copyright © 2016 JET

16.1.1 CS-275 Cold Saw (Machine Assembly) – Exploded View




16.1.2 CS-275 Cold Saw (Machine Assembly) – Parts List

| Index No. | Part No. | Description | Size | Qty |
|------------------|-----------------|---|-------------|------------|
| 1 | CS275-1G | Lock Handle | | 1 |
| 2 | CS275-2 | Lock Nut | | 1 |
| 3 | CS275-3 | Shaft | | 1 |
| 4 | CS275-4G | Machine Base | | 1 |
| 5 | CS275-5 | Roller Bracket | | 1 |
| 6-1 | TS-1492021 | Hex Cap Screw | M12x30 | 2 |
| 7 | CS275-7 | Roller | | 1 |
| 9 | TS-1504041 | Socket Head Cap Screw | M8x20 | 3 |
| 10 | TS-0680031 | Flat Washer | 5/16" | 1 |
| 11 | CS275-11 | Hand Wheel | | 1 |
| 12 | CS275-12 | Pin | | 1 |
| 13 | CS275-13 | Bearing Bushing | | 1 |
| 14 | CS275-14 | Bearing | | 1 |
| 15 | CS275-15 | Bushing | | 1 |
| 16 | CS275-16 | Lead Screw | | 1 |
| 17 | CS275-17 | Lock Handle | | 1 |
| 18 | CS275-18 | Vise, Moveable | | 1 |
| 19 | CS275-19 | Washer | | 1 |
| 20 | CS275-20 | Spring | | 1 |
| 21 | CS275-21 | Plate | | 1 |
| 22 | TS-1506021 | Socket Head Cap Screw | M12x25 | 3 |
| 23 | CS275-23 | Hex Screw | M10x30 | 1 |
| 24 | CS275-24 | Spring | | 1 |
| 25 | TS-1550061 | Flat Washer | M8 | 1 |
| 26 | TS-1504041 | Socket Head Cap Screw | M8x20 | 1 |
| 27 | CS275-27 | Pin | 5x12 | 1 |
| 28 | CS275-28 | Switching Plate | | 1 |
| 29 | TS-1540061 | Hex Nut | M8 | 1 |
| 30 | TS-1550061 | Flat Washer | M8 | 3 |
| 31 | TS-1504051 | Socket Head Cap Screw | M8x25 | 1 |
| 32 | CS275-32 | Switching Handle | | 1 |
| 33 | TS-1503021 | Socket Head Cap Screw | M6x10 | 1 |
| 34 | CS275-34 | Retaining Ring | S-60 | 1 |
| 35 | CS275-35 | Blade Shield | | 1 |
| 36 | TS-2245102 | Button Head Socket Screw | M5x10 | 14 |
| 37 | CS275-37 | Plate | | 2 |
| 38 | CS275-38G | Blade Cover | | 1 |
| 39 | CS275-39 | Socket Head Cap Screw (left hand thread) | M12x35LH | 1 |
| 40 | CS275-40 | Flange | | 1 |
| 41 | CS275-41 | Saw Blade | | 1 |
| 42 | CS275-42 | Spindle | | 1 |
| 43 | CS275-43 | Worm Gear | | 1 |
| 44 | CS275-44 | Lock Nut | | 1 |
| 45 | CS275-45 | Stop | | 1 |
| 46 | CS275-46 | Vise, Stationary | | 1 |
| 47 | TS-1502061 | Socket Head Cap Screw | M5x25 | 3 |
| 48 | CS275-48G | Base Swing Arm | | 1 |
| 49 | CS275-49 | Support Rod | | 1 |
| 50 | CS275-50 | Vise Jaw Insert | | 1 |
| 51 | CS275-51 | Serrated Jaw Insert | | 1 |
| 52 | CS275-52 | Small Serrated Jaw Insert | | 1 |
| 53 | CS275-53 | Handle Grip with Trigger Switch | | 1 |
| | CS275-53N | Handle Grip with Trigger Switch (s/n 1312XXXX and higher) | | 1 |
| 55 | CS275-55 | Handle | | 1 |
| | CS275-55N | Handle (s/n 1312XXXX and higher) | | 1 |
| 56 | CS275-56 | Nut | | 1 |
| 57 | TS-2310201 | Hex Nut | M20 | 1 |
| 58 | CS275-58G | Machine Head | | 1 |
| 59 | BB-6301ZZ | Ball Bearing | 6301ZZ | 1 |

| Index No. | Part No. | Description | Size | Qty |
|------------------|-----------------|---------------------------------|------------------------|------------|
| 60 | BB-6205ZZ | Ball Bearing | 6205ZZ | 2 |
| 61 | CS275-61 | Rubber Gasket..... | | 1 |
| 62 | TS-1490031 | Hex Cap Screw..... | M8x20 | 4 |
| 63 | TS-0680031 | Flat Washer | 5/16"..... | 4 |
| 64 | CS275-64G | Flange..... | | 1 |
| 65 | CS275-65 | Oil Seal..... | 25x45x10 | 1 |
| 66 | CS275-66 | Worm Shaft..... | | 1 |
| 67 | CS275-67 | Coupling..... | | 1 |
| 68 | CS275-68 | Motor..... | 1.5HP, 220V, 3PH..... | 1 |
| | CS275-68-1 | Motor..... | 1.5HP, 115/230V, 1PH.. | 1 |
| 69 | CS275-69 | Wire Terminal Clamp..... | | 4 |
| 70 | CS275-70 | Control Wire..... | | 1 |
| 71 | TS-1490031 | Hex Cap Screw..... | M8x20 | 4 |
| 72 | TS-0680031 | Flat Washer | 5/16"..... | 4 |
| 73 | CS275-73 | Oil Plug | 1/2" PT | 1 |
| 74 | TS-0271031 | Socket Set Screw | 3/8"-16x3/8..... | 2 |
| 75 | CS275-75 | Shaft | | 1 |
| 76 | CS275-76 | Bushing..... | | 1 |
| 77 | CS275-77 | Cover | | 1 |
| 78 | TS-1504031 | Socket Head Cap Screw..... | M8x16 | 2 |
| 79 | CS275-79 | Locking Knob | M8x20 | 1 |
| 80 | CS275-80 | Length Setting Rod Bracket..... | | 1 |
| 81 | CS275-81 | Upper Length Setting Rod | | 1 |
| 82 | CS275-82 | Lower Length Setting Rod | | 1 |
| 83 | TS-1540081 | Hex Nut..... | M12 | 1 |
| 84 | CS275-84 | Locking Knob | M8x18 | 1 |
| 85 | CS275-85 | Filter | | 1 |
| 86 | TS-1491031 | Hex Cap Screw..... | M10x25 | 1 |
| 86-1 | TS-1540071 | Hex Nut..... | M10 | 1 |
| 87 | CS275-87 | Drain Cover..... | | 1 |
| 88 | TS-0680031 | Flat Washer | 5/16"..... | 2 |
| 89 | TS-1504051 | Socket Head Cap Screw..... | M8x25 | 2 |
| 90 | TS-1504071 | Socket Head Cap Screw..... | M8x35 | 1 |
| 91 | CS275-91G | Support | | 1 |
| 92 | TS-0680031 | Flat Washer | 5/16"..... | 2 |
| 93 | TS-1504041 | Socket Head Cap Screw..... | M8x20 | 2 |
| 94 | TS-1533032 | Pan Head Machine Screw | M5x10 | 4 |
| 95 | CS275-95 | Stop Push Button | | 1 |
| 96 | CS275-96 | Start Push Button | | 1 |
| 97 | CS275-97 | Emergency Stop | | 1 |
| 98 | CS275-98 | 2/4P Selection Switch | (3ph only) | 1 |
| 99 | CS275-99 | Pump Selection Switch | | 1 |
| 100 | CS275-100 | Control Box Panel..... | (3ph) | 1 |
| | CS275-100-1 | Control Box Panel..... | (1ph) | 1 |
| 101 | TS-0680031 | Flat Washer | 5/16"..... | 2 |
| 102 | TS-1490021 | Hex Cap Screw..... | M8x16 | 2 |
| 103 | CS275-103G | Electrical Control Box | | 1 |
| 104 | CS275-104 | Control Box Bottom Plate | | 1 |
| 105 | CS275-105 | Magnetic Contactor..... | 12D (3ph) | 1 |
| | CS275-105-1 | Magnetic Contactor..... | 18D (1ph) | 1 |
| 106 | CS275-106 | Fuse Set | (3ph) | 4 |
| | CS275-106-1 | Fuse Set | (1ph) | 4 |
| | CS275-106-2 | Fuse (not shown) | 10A (3ph) | 3 |
| | CS275-106-3 | Fuse (not shown) | 2A (3ph/1ph) | 1 |
| | CS275-106-4 | Fuse (not shown) | 20A (1ph) | 3 |
| 107 | CS275-107G | Cover Plate | (3ph) | 1 |
| | CS275-107-1G | Cover Plate | (1ph) | 1 |
| 108 | CS275-108 | Transformer | (3ph) | 1 |
| | CS275-108-1 | Transformer | (1ph) | 1 |
| 109 | CS275-109 | Relay | | 1 |
| 110 | CS275-110 | Plate | | 1 |
| 111 | CS275-111 | Support Plate | | 1 |

| Index No. | Part No. | Description | Size | Qty |
|------------------|------------------|----------------------------|---------------|------------|
| 112 | TS-0680031 | Flat Washer | 5/16"..... | 2 |
| 113 | TS-1504031 | Socket Head Cap Screw..... | M8x16..... | 2 |
| 114 | CS275-114..... | Screw..... | M5x6..... | 2 |
| 119 | CS275-119..... | Oil Seal | 35x47x8 | 1 |
| 120 | CS275-120..... | Rubber Gasket..... | | 1 |
| 121 | CS275-121..... | Rubber Sheet..... | | 2 |
| 122 | CS275-122..... | Holder Plate | | 1 |
| 123 | CS275-123..... | Anti-Dust Plate..... | | 1 |
| 125 | CS275-125..... | Stopper | | 2 |
| 126 | CS275-126..... | Angle Scale..... | | 1 |

16.3.1 CS-275 and CS-315 Cold Saws (Stand Assembly) – Exploded View



16.3.2 CS-275 and CS-315 Cold Saws (Stand Assembly) – Parts List

| Index No. | Part No. | Description | Size | Qty |
|-----------|-------------|-----------------------|---------------|-----|
| 201 | CS275-201G | Stand | | 1 |
| 204 | CS275-204G | Support Plate | | 1 |
| 205 | TS-0680031 | Flat Washer | 5/16" | 4 |
| 206 | TS-1490021 | Hex Cap Screw | M8x16 | 4 |
| 207 | CS275-207 | Coolant Tank | | 1 |
| 208 | CS275-208 | Hose | 1/2" | 1 |
| 209 | CS275-209 | Hose Clamp | 1" | 1 |
| 210 | TS-1550021 | Flat Washer | M4 | 2 |
| 211 | CS275-211 | Socket Head Cap Screw | M4x18 | 2 |
| 212 | CS275-212 | Coolant Pump | 230V, 1Ph | 1 |
| | CS275-212-1 | Coolant Pump | 115/230V, 1Ph | 1 |
| 213 | CS275-213 | Connecting Bolt | | 1 |
| 214 | CS275-214 | Hose Clamp | | 1 |
| 215 | CS275-215 | Hose | 5/16" | 1 |
| 216 | CS275-216 | Hose Clamp | 1/4" | 1 |
| 217 | CS275-217 | Valve | | 1 |
| 218 | CS275-218 | Wire | | 1 |
| 219 | TS-0050011 | Hex Cap Screw | 1/4"-20x1/2" | 4 |
| 220 | TS-0680021 | Flat Washer | 1/4" | 4 |
| 221 | TS-1490021 | Hex Cap Screw | M8x16 | 2 |
| 222 | TS-0680031 | Flat Washer | 5/16" | 2 |
| 223 | CS275-223G | Support Plate | | 1 |
| 225 | CS275-225G | Door and Latch | | 1 |
| 226 | CS275-226 | Collar | | 1 |



427 New Sanford Road
LaVergne, TN 37086
Phone: 800-274-6848
www.jettools.com