



| Position | Amount | Type number | Description |
|----------|--------|-------------|--------------------------|
| 1 | 4 | 341701490 | Tight-fit screw |
| 2 | 1 | 339034890 | Foot |
| 3 | 1 | 631949000 | Collet 1/4" |
| 4 | 2 | 141120190 | Fillister head screw |
| 5 | 1 | 315410040 | Spindle head |
| 6 | 1 | 143191190 | Felt ring |
| 7 | 1 | 339003480 | Sealing washer |
| 8 | 1 | 143114650 | Ball bearing, 15x35x11 |
| 9 | 2 | 141180090 | Retaining ring |
| 10 | 1 | 339031530 | Clamping washer |
| 11 | 1 | 310008330 | Armature cpl.120V |
| 12 | 1 | 143114750 | Ball bearing, 6X 19X 6 |
| 13 | 1 | 344096360 | Rubber bushing |
| 14 | 1 | 343394180 | Switch slide |
| 15 | 1 | 343373640 | Switch rod |
| 16 | 1 | 338042540 | Rating plate |
| 17 | 2 | 316028700 | Brush holder cpl.,120V |
| 18 | 1 | 316034930 | Set carbon brush |
| 19 | 2 | 344493960 | Cable strand |
| 20 | 1 | 141116020 | Self-tap. fill. h. screw |
| 21 | 1 | 343362490 | Cable clip |
| 22 | 3 | 141116990 | Self-tap. fill. h. screw |
| 23 | 1 | 343374410 | Housing with cover |
| 24 | 1 | 344101140 | Cable sleeve |
| 25 | 1 | 339150930 | Baffle |
| 26 | 1 | 311009770 | Field coil 230 V elec |
| 27 | 1 | 343406730 | Switch |
| 28 | 1 | 315012680 | Motor housing |
| 29 | 1 | 338122160 | M-Label,08 52x22 |
| 30 | 1 | 344493950 | Strand |
| 31 | 1 | 344493970 | Strand |
| 32 | 2 | 339040760 | Insulading hose |
| 33 | 1 | 344492750 | Cable with UL-CSA-plug |
| 34 | 1 | 343374420 | Housing with cover |
| 35 | 1 | 344162400 | Open-end spanner |
| 36 | 1 | 344161300 | Open-end spanner |
| 38 | 1 | 338117300 | Warning label |
| 39 | 1 | 399999990 | Part not needed |
| 1001 | 1 | 338502190 | Diagram |

