


ROTARY LAWN MOWER - - MODEL NUMBER HU700L (96143006900) PRODUCT NUMBER 961 43 00-69




ROTARY LAWN MOWER - - MODEL NUMBER HU700L (96143006900) PRODUCT NUMBER 961 43 00-69

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532 18 62-96	Upper Handle Assembly (Includes Foam Grip)	46	532 42 17-82	Blade Adapter / Pulley
2	532 44 03-86	Cable, Engine Zone Control	47	532 43 76-01	Blade, 22"
3	532 43 00-34	Bracket, Upstop	48	532 85 10-74	Washer, Hardened
6	532 18 23-98	Handle Knob, Star	49	532 85 02-63	Washer, Helical
7	532 75 06-34	Screw #10-24 x 1/2	50	532 85 10-84	Screw, Machine, Hex Head 3/8-24 x 1-3/8 Grade 8
8	532 42 68-12	Control Bar	51	532 43 71-31	Front Baffle
9	532 43 13-90	Rear Door Assembly	53	532 43 73-45	Screw
11	532 42 55-75	Hairpin, Door/Handle Pivot	56	817 41 13-12	Screw, Hex Washer Head #13 x 3/4
12	532 19 19-38	Handle Knob, Standard			
13	532 43 75-16	Plug, Lower Handle Bar	57	532 15 53-77	Nut, Hex
17	532 43 12-38	Rear Baffle	58	532 44 11-97	Lower Handle
18	532 13 20-04	Keys Locknut 1/4-20	59	532 19 15-74	Handle Bolt
19	532 19 47-88	Rope Guide	62	532 43 50-59	Belt Retainer
20	532 42 91-57	Rear Skirt	64	- - -	Engine, Honda, Model Number GCV160-LAS3A (For engine service and replacement parts, call Honda Engines at 1-800-426-7701
21	532 41 99-49	Spring, Rear Door, LH, Black			
22	532 14 18-41	Screw, Panhead, Torx #20			
24	532 41 99-48	Spring, Rear Door, RH, Grey			
26	532 41 99-45	Screw, Rear Door/Handle Pivot	70	532 18 27-48	Grip, Foam
28	872 25 05-05	Bolt, Carriage 5/16-18 x 5/8	83	532 75 00-97	Screw, Hex Washer Head
30	532 43 85-84	Grassbag	84	532 42 81-24	Fastener, Push
31	532 41 99-51	Frame, Grass Catcher	85	532 43 45-30	Mounting Bracket, Rear Skirt
34	532 43 81-34	Bracket, Grassbag			
37	817 00 05-10	Screw, Hex Head 1/4-20	96	532 19 79-91	Clip, Cable
39	532 44 05-25	Handle Bracket, LH	97	532 43 48-93	Belt Keeper
40	532 44 05-26	Handle Bracket, RH	99	532 43 73-89	Front Shroud Assembly
41	532 15 04-06	Screw, Dogpoint 3/8-16 x 1-1/8	--	532 43 81-57	Operator's Manual, English / French
44	532 43 84-84	Kit, Lawn Mower Housing	--	532 44 15-77	Clipping Deflector (available accessory, not shown)

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm. **IMPORTANT:** Use only Original Equipment Manufacturer (O.E.M.) replacement parts. Failure to do so could be hazardous, damage your lawn mower and void your warranty.

ROTARY LAWN MOWER -- MODEL NUMBER HU700L (96143006900) PRODUCT NUMBER 961 43 00-69



ROTARY LAWN MOWER - - MODEL NUMBER HU700L (96143006900) PRODUCT NUMBER 961 43 00-69

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532 43 09-95	Drive Control Assembly (Includes Cable)	28	812 00 00-58	E-Ring 7/16
5	532 08 83-48	Washer, Flat	29	532 18 94-03	Cover, Dust, Wheel
6	532 19 74-80	O-Ring	30	532 19 17-30	Nut, Hex
9	532 43 16-50	Cable, Drive	31	532 40 48-45	Pawl, Drive
10	532 43 27-90	Mounting Bracket, Drive Control	32	532 44 14-08	Wheel & Tire Assembly, Rear
12	532 42 15-27	Belt, Drive	33	532 40 91-48	Nut, Flangelock 3/8-16
13	532 43 45-64	Gearcase Assembly, Complete	34	532 40 48-35	Pinion
14	532 19 41-28	Pulley, Drive	35	532 43 78-72	Wheel Adjuster, Front, RH
15	532 43 78-73	Wheel Adjuster, Rear, RH	36	532 43 78-71	Wheel Adjuster, Front, LH
16	532 43 78-74	Wheel Adjuster, Rear, LH	37	532 16 34-09	Screw, Hi-Lo Thread, 12 x 5/8
18	532 70 10-37	Knob, Selector	40	532 44 12-98	Wheel & Tire Assembly, Front
20	532 42 70-23	Debris Shield	41	532 42 11-14	Kit, Water Washout Assembly
22	817 00 05-10	Screw, Hex Head 1/4-20	42	532 41 97-35	Fitting, Water Washout
25	532 42 60-65	Mounting Bracket, Debris Shield	43	532 41 55-85	Washer, Lock, Internal Tooth
26	532 42 60-66	Belt Keeper	44	532 41 55-86	Locknut, Hex, with O-Ring
27	532 06 77-25	Washer, Flat	55	532 40 65-58	Spring, Tension
			59	532 44 21-13	Support Bracket
			61	532 18 16-98	Screw

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm. **IMPORTANT:** Use only Original Equipment Manufacturer (O.E.M.) replacement parts. Failure to do so could be hazardous, damage your lawn mower and void your warranty.