



Position	Amount	Type number	Description	PG
1	1	310011020	Armature compl., 120V	36
2	1	311012270	Field coil w.field coil,120 V	32
3	1	343410290	Switch 2-pole	21
4	1	344101220	Cable sleeve	12
5	1	344499590	Cable w.UL/CSA-plug,110V	25
6	1	343362490	Cable clip	12
7	1	315013520	Motor housing 2 part	21
8	1	339151180	Baffle	11
10	1	343084810	Electronic unit,120V 50/60Hz	32
11	1	143115690	Ball bearing,6x19x6	13
12	1	344097870	Rubber bushing	11
17	1	343433070	Switch rod	11
18	1	343433030	Cap	15
19	1	343433100	End cap	11
21	1	343437100	Switch slide	11
23	1	339204600	Wheel guard,D 150	33
24	1	314000970	Anti-vibration handle,M 8	24
25	1	339151200	Baffle	11
26	1	341031290	Clamping flange	19
27	1	316061250	Retainer compl.,D150	29
28	1	341210700	Extension	17
37	1	315203030	Flange	20
39	1	143192150	O-ring	11
41	1	316064690	Quicknut,5/8"	23
50	1	141156650	Retaining ring	11
51	1	143115560	Ball bearing,8x22x7	18
52	1	143114790	RI.KU.LA. 6X 19X 6	15
53	1	316066990	Intermediate shaft compl.	38
54	1	339006390	Washer,7,05x19,5x0,2	11
55	1	143114740	Ball bearing, 8x22x7	22
57	1	341071640	Spacer sleeve	19
58	1	143115270	Ball bearing,12x24x6	21
59	1	301070100	KUGELL.DRUCKSCHEIBE	11
60	1	143115490	Compensating washer	11
61	1	141181010	Retaining ring	11
62	2	339012160	Compensating washer	11
63	4	141120200	Countersunk screw	11
64	4	141116980	Self-tap. fill. h. screw	11
65	2	141117060	Self-tap. fill. h. screw	12
66	2	141124090	Fillister head screw	11
67	2	141121710	Countersunk screw	11

Position	Amount	Type number	Description	PG
68	1	338064560	Rating plate	11
70	1	343433060	Tacho disc	13
72	1	316062410	Bevel gear and bevel gear,1:3,9	31
73	1	316054850	Fan w. dust guard	15
74	1	316066670	carbonbrush with brushholder Set 110V	29
75	1	338122010	Indication label	16
76	1	338122090	Warning Label 52x22	11
78	1	316062330	Gear housing compl.	36
79	1	316062340	Spindle lock compl.	24
80	1	343433090	Pivoting switch	11
81	1	316069030	spindle compl.,5/8"	25
82	1	339006810	Washer	11
880	1	344130920	Grease 100G	31
1001	1	338505780	Diagram	
1005	1	399999990	Part not needed	

